

According to ISO 11014:2010

First Print Date: 5-Mar-2015 Revision Date: 12-May-2020

Version: 1.1.1.

# Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

#### **Product Identifier:**

**Identification as on the label/Trade name:** Magnesium Metal, Enriched Magnesium Metal.

Molecular weight: 24.31 Chemical formula: Mg Synonyms: None.

### **Details of the supplier of the Safety Data Sheet:**

Neonest AB Storgatan 70C, Solna SE-17152 Sweden

## **Contact details:**

+46-76-219-9731

### **24-hour Emergency Contact:**

**Swedish Poisons Centre** 

Phone: 112 - Ask for Poisons Information, 112 - begär Giftinformation.

## **Other International Contacts:**

CHEMTREC 24-hour: +1-703-741-5500 (US + Worldwide)

NHS: 111 (UK)

Charite: +49 30 450 531 000 (Netherlands)

INTCF: +34 917689800 (Spain) CapTv: +33 1 40 05 48 48 (France)

## **Section 2: Hazards Identification**

### Classification of the substances or mixture:

The mixture is classified according to: Regulation EC 1272/2008 [EU-GHS/CLP]

#### Hazard classes/Hazard categories: **Hazard statement:**

Flammable solids (Category 1)	H228
Self-heating substances and mixtures (Category 1)	H251
Substances and mixtures, which in contact with water, emit flammable gases (Category 2)	H261
Pyrophoric Solid (Category 1)	H250
Water-reactive (Category 1)	H260

#### **Label elements:**

#### **Hazard pictograms:**



According to ISO 11014:2010

First Print Date: 5-Mar-2015 Revision Date: 12-May-2020

Version: 1.1.1.



**Signal Words:** Danger. **Hazard Statements:** H228 Flammable solid.

H251 Self-heating: may catch fire.

H261 In contact with water releases flammable gases.

H250 Catches fire spontaneously if exposed to air.

H260 In contact with water releases flammable gases which may ignite spontaneously.

#### **Precautionary Statements:**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P222 Do not allow contact with air.

P223 Do not allow contact with water.

P231 + P232 Handle and store contents under inert gas. Protect from moisture.

P235 Keep cool.

P233 Keep container tightly closed.

P280 Wear protective gloves/protective clothing.

P302 + P334 IF ON SKIN: Immerse in cool water or wrap in wet bandages.

Other hazards: None known.

### Section 3: Composition/Information on Ingredients

Substance/Mixture: Substance.

Ingredients:

Substance name (IUPAC/EC)	CAS-No.	Molecular	Concentration	Classification
Substance name (IOPAC/EC)	EC-No.	weight % by weight EC1272/200		EC1272/2008
Magnesium oxide	7439-95-4	- 24.31	>99%	Pyr. Sol. 1 H250
	231-104-6			Water-react. 1 H260

For explanation of abbreviations see Section 16.

## **Section 4: First-Aid Measures**

### **Description of first aid measures:**

**In case of inhalation:** Material may be irritating to mucous membranes and upper respiratory tract; may be harmful if inhaled.

In case of skin contact: May cause skin irritation.
In case of eye contact: May cause eye irritation.
In case of ingestion: May be harmful if swallowed.

### Most important symptoms and effects, both acute and delayed:



According to ISO 11014:2010

First Print Date: 5-Mar-2015 Revision Date: 12-May-2020

Version: 1.1.1.

**General advice:** Take the victim out of the contaminated area. Remove contaminated clothing immediately and dispose of safely.

**Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing becomes difficult, call a physician.

**Eyes:** In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

Skin contact: In case of contact, immediately wash skin with soap and copious amounts of water.

**Ingestion:** If swallowed, wash out mouth with water provided person is conscious. Do NOT induce vomiting. Call a physician.

**Indication of any immediate medical attention and special treatment needed:** Treat symptomatically. Show this safety data sheet to a physician or emergency room.

### **Section 5: Fire-Fighting Measures**

#### Extinguisher media:

Suitable extinguisher media: Dry powder Dry sand, or appropriate foam. Do NOT use water jet.

Unsuitable extinguishing media: Magnesium oxide.

Special hazards arising from the mixture: Pyrophoric material. Emits toxic fumes under fire conditions.

**Advice for fire-fighters:** Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

**Further information:** Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Section 6: Accidental Release Measures

## Personal precautions, protective equipment and emergency procedures:

**Personal precautions:** Exercise appropriate precautions to minimize direct contact with skin or eyes and prevent inhalation of dust. Avoid breathing vapours, mist or gas. Remove all sources of ignition. Particle filter half mask, filter P3.

**Environmental precautions:** Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages cannot be contained.

#### Methods for containment and cleaning up:

**Methods for cleaning up:** Collect with an electrically protected vacuum cleaner or by wet-brushing, place in a suitable, closed containers and hold for disposal according to local regulations. Avoid raising dust. Do not flush with water. Ventilate area and wash spill site after material pickup is complete.

**Elimination of recovered materials:** Deliver to the Environmental service of the factory or to any specialized and approved disposal company.

#### Reference to other sections:

Treat recovered material as described in the section "Disposal considerations".

## **Section 7: Handling and Storage**

### **Precautions for safe handling:**



According to ISO 11014:2010

First Print Date: 5-Mar-2015 Revision Date: 12-May-2020

Version: 1.1.1.

**Advice on safe handling:** User Exposure: Avoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure. Take precautionary measures against electrostatic loading. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking.

**Hygiene measures:** Do not eat, drink or smoke when using this product.

### **Conditions for safe storage, including incompatibilities:**

**Requirements for storage areas and containers:** Keep tightly closed in a dry and well-ventilated place. Air and moisture sensitive. Store in cool place. Store under inert gas. Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

Advised packaging material: Glass, polyethylene, polypropylene.

### **Section 8: Exposure Controls/Personal Protection**

#### **Control parameters:**

Occupational exposure limits: No data available.

**Exposure controls:** 

Appropriate engineering controls: Safety shower and eye bath. Mechanical exhaust required.

#### <u>Individual protection measures, such as personal protective equipment:</u>

**Eye/face protection:** Chemical safety goggles.

**Hand protection:** Use chemical resistant gloves. Examples of preferred glove barrier materials include: Butyl rubber, Neoprene, Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl alcohol laminate, polyvinyl alcohol, Polyvinyl chloride. **Body protection:** Wear appropriate protective clothing to prevent skin exposure. Flame retardant antistatic protective clothing.

**Respiratory protection:** Wear dust mask. Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## **Section 9: Physical and Chemical Properties**

#### Information on basic physical and chemical properties

Appearance (form): Solid (scrap, pellets, turnings or ribbons).

Colour: White.

Odour: No data available.

Odour threshold: No data available.

Molecular Weight: 24.31

pH (concentration): No data available.

Melting point/range (°C): 650 °C

Boiling point/range (°C): 1090 °C

Freezing point (°C): No data available.

Flash point (°C): No data available.

Evaporation rate: No data available.

Flammability (solid, gas): No data available. Ignition temperature (°C): No data available.



According to ISO 11014:2010

First Print Date: 5-Mar-2015 Revision Date: 12-May-2020

Version: 1.1.1.

**Upper/lower flammability/explosive limits:** No data available.

Vapour pressure (20 °C): No data available

Vapour density: No data available. Relative density (25 °C): 1.74 g/cm<sup>3</sup>

Water solubility (g/L) at 20 °C: No data available.

n-Octanol/Water partition coefficient: No data available.

Auto-ignition temperature: No data available.

Decomposition temperature: No data available.

Viscosity, dynamic (mPa s): No data available.

**Explosive properties:** The substance or mixture is not classified as explosive. **Oxidising properties:** The substance or mixture is not classified as oxidizing.

## Section 10: Stability and Reactivity

Reactivity: No data available.

**Chemical stability:** Stable under recommended storage conditions. **Possibility of hazardous reactions:** Reacts violently with water. **Conditions to avoid:** Heat, flames and sparks. Air-sensitive.

Incompatible materials: Strong oxidizing agents, Acids, Acid chlorides, Halogens. May react violently on mixing with

phosphorous pentachloride, chlorine trifluoride, or bromine pentafluoride.

Hazardous decomposition products: Magnesium oxide, Carbon monoxide, Carbon dioxide.

## **Section 11: Toxicological Information**

### **Information on toxicological effects:**

Skin Contact: May cause skin irritation.

Skin Absorption: May be harmful if absorbed through the skin.

Eye Contact: May cause eye irritation.

Inhalation: Material may be irritating to mucous membranes and upper respiratory tract; may be harmful if inhaled.

Ingestion: May be harmful if swallowed.

## Classification according to GHS (1272/2008/EG, CLP)

#### Skin corrosion/irritation:

Not classified based on available information.

## Serious eye damage/eye irritation:

Not classified based on available information.

#### Respiratory or skin sensitisation:

Not classified based on available information.

### Germ cell mutagenicity:

Not classified based on available information.

#### Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### Reproductive toxicity:



According to ISO 11014:2010

First Print Date: 5-Mar-2015 Revision Date: 12-May-2020

Version: 1.1.1.

Not classified based on available information.

Specific target organ toxicity – single exposure (STOT):

Not classified based on available information.

Specific target organ toxicity (STOT) – repeated exposure:

Not classified based on available information.

Aspiration toxicity:

Not classified based on available information.

## **Section 12: Ecological Information**

Toxicity: No data available.

Persistence and degradability: No data available. Bioaccumulative potential: No data available.

Mobility in soil: No data available.

Results of PBT& vPvB assessment: Not relevant.

Other adverse effects: No data available.

## **Section 13: Disposal Considerations**

**Waste treatment methods:** Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Leave chemicals in original containers. Observe all local and national environmental regulations.

## **Section 14: Transport Information**

### DOT:

**Proper shipping Name: MAGNESIUM** 

Hazard Class: 4.1 UN Number: 1869 Packing Group: III Hazard Label:



## IMDG:

**Proper shipping Name: MAGNESIUM** 

Hazard Class: 4.1 UN Number: 1869 Packing Group: III

IATA:

**Proper shipping Name: MAGNESIUM** 

Hazard Class: 4.1 UN Number: 1869 Packing Group: III



According to ISO 11014:2010

First Print Date: 5-Mar-2015 Revision Date: 12-May-2020

Version: 1.1.1.

# **Section 15: Regulatory Information**

#### **EU** regulations:

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 on persistent organic pollutants, Annex I

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

### **Authorisations:**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

### **Restrictions on use:**

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use Not regulated.

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding.

Not regulated.

#### Other EU regulations:

Directive 2012/18/EU on major accident hazards involving dangerous substances

Not listed.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Always applicable.

Directive 94/33/EC on the protection of young people at work



According to ISO 11014:2010

First Print Date: 5-Mar-2015 Revision Date: 12-May-2020

Version: 1.1.1.

Not listed.

**Other regulations:** The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

**SARA 302 Components:** No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components:** This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards: No SARA Hazards.

Massachusetts Right to Know Components: Magnesium oxide / CAS No. 1309-48-4 / Revision Date March 1, 2007 Pennsylvania Right to Know Components: Magnesium oxide / CAS No. 1309-48-4 / Revision Date March 1, 2007 New Jersey Right to Know Components: Magnesium oxide / CAS No. 1309-48-4 / Revision Date March 1, 2007 California Prop. 65 Components: This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

**National regulations:** Follow national regulation for work with chemical agents. **Chemical safety assessment:** No Chemical Safety Assessment has been carried out.

### **Section 16: Other Information**

#### List of abbreviations:

ACGIH American Conference of Governmental Industrial Hygienists

ADR European Agreement Concerning the International Carriage of Dangerous Goods by Road

ALARA As Low As Is Reasonably Achievable

AMU Atomic Mass Unit

ANSI American National Standards Institute

**BLS Basic Life Support** 

**CAM Continuous Air Monitor** 

CAS Chemical Abstracts Service (division of the American Chemical Society)

**CEN European Committee for Standardization** 

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CLP Classification, Labelling and Packaging (European Union)

CPR Controlled Products Regulations (Canada)

CWA Clean Water Act (USA)

DAC Derived Air Concentration (USA)

DOE United States Department of Energy (USA)

DOT United States Department of Transportation (USA)

DSL Domestic Substances List (Canada)

EC50 Half Maximal Effective Concentration

**EINECS European Inventory of Existing Commercial Chemical Substances** 

**EHS Environmentally Hazardous Substance** 

**ELINCS European List of Notified Chemical Substances** 

EMS Emergency Response Procedures for Ships Carrying Dangerous Goods

EPA Environmental Protection Agency (USA)

EPCRA Emergency Planning and Community Right-To-Know Act (EPCRA) of 1986

**GHS Globally Harmonized System** 

HMIS Hazardous Materials Identification System (USA)

IARC International Agency for Research on Cancer



According to ISO 11014:2010

First Print Date: 5-Mar-2015 Revision Date: 12-May-2020

Version: 1.1.1.

IATA International Air Transport Association

**IBC Intermediate Bulk Containers** 

ICAO International Civil Aviation Organization

IDLH Immediately Dangerous to Life or Health

IMDG International Maritime Code for Dangerous Goods

LC50 Lethal concentration, 50 percent

LD50 Lethal dose, 50 percent

LDLO Lethal Dose Low

LOEC Lowest-Observed-Effective Concentration

MARPOL International Convention for the Prevention of Pollution from Ships

MSHA Mine Safety and Health Administration (USA)

NCRP National Council on Radiation Protection & Measurements (USA)

NDSL Non-Domestic Substances List (Canada)

NFPA National Fire Protection Association (USA)

NIOSH National Institute for Occupational Safety and Health (USA)

**NOEC No Observed Effect Concentration** 

N.O.S. Not Otherwise Specified

NRC Nuclear Regulatory Commission (USA)

NTP National Toxicology Program (USA)

OSHA Occupational Safety and Health Administration (USA)

PBT Persistent Bioaccumulative and Toxic Chemical

PEL Permissible Exposure Limit

PIH Poisonous by Inhalation Hazard

RCRA Resource Conservation and Recovery Act (USA)

**RCT Radiation Control Technician** 

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (Europe)

RID Regulations Concerning the International Transport of Dangerous Goods by Rail

**RTECS Registry of Toxic Effects of Chemical Substances** 

SARA Superfund Amendments and Reauthorization Act (USA)

TDG Transportation of Dangerous Goods (Canada)

TIH Toxic by Inhalation Hazard

TLV Threshold Limit Value

**TPQ Threshold Planning Quantity** 

**TSCA Toxic Substances Control Act** 

TWA Time Weighted Average

**UN United Nations (Number)** 

**VOC Volatile Organic Compound** 

vPvB Very Persistent Very Bioaccumulative Chemical

WGK Wassergefährdungsklassen (Germany: Water Hazard Classes)

WHMIS Workplace Hazardous Materials Information System

**References:** 

Not available.

Full text of any H-statements not written out in full under Sections 2 to 15:

None.

**Revision information:** 

None.

**Training information:** 



According to ISO 11014:2010

First Print Date: 5-Mar-2015 Revision Date: 12-May-2020

Version: 1.1.1.

Follow training instructions when handling this material.

#### **Further Information:**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.